L	Hits	Search Text	DB	Time stamp
Number	3373	((yob internet you you) nears (USPAT;	2002/09/12
_	33/3	((web internet wan www) near5 (server page site prox\$4) same (track\$4	EPO; JPO;	2003/08/12 15:03
		monitor\$4) same (user client member	DERWENT;	13.03
		subscriber computer))	IBM TDB	
-	388	(((web internet wan www) near5 (server	USPĀT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	15:36
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (ip ipx (internet adj		
		protocol)) same (user client member		
		subscriber computer)) and ((database table list\$4) same tim\$4)		
_	31	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:53
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (address\$4 near3 (ip	-	
	ļ	ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4) and		
		(tim\$4 same (sync\$4 synchron\$7) same (server global internet web))		
_	30	(((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	15:43
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (address\$4 near3 (ip		
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and ((database table list\$4) near11 (tim\$4		
		timestamp\$4 time-stamp\$4)) and ((tim\$4		
		timestamp\$4 time stamp\$4) same (sync\$4	İ	
		synchron\$7) same (server global internet		
		web))		
_	20		USPAT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	17:52
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database table list\$4) same (address\$4 near3 (ip	IBM_TDB	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
	}	((database table list\$4) same (tim\$4		
		timestamp\$4 time-stamp\$4)) and ((tim\$4		
		timestamp\$4 time-stamp\$4) same (sync\$4		
		synchron\$7) same (server global internet		
		web)) and ((track\$4 monitor\$4) near8		
_	18	(database table list\$4)) (((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	16:59
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
	1	table list\$4) near11 (address\$4 near3 (ip	-	
		<pre>ipx (internet adj protocol))) near11</pre>		
		(user client member subscriber computer))		
	1	and ((database table list\$4) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4 timestamp\$4 time-stamp\$4) near11		
		(sync\$4 synchron\$7))		
-	160	((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4)) and ((track\$4	EPO; JPO;	17:11
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip		
		ipx (internet adj protocol))) near11		
		(user client member subscriber computer)) and ((database table list\$4 field) nearl1		
		(tim\$4 timestamp\$4 time-stamp\$4))		
	1	1 tormer ormer camped a crime a camped 1 1		

-	136	((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4)) and ((track\$4	EPO; JPO;	17:19
		monitor\$4) nearl1 (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM TDB	
		table list\$4) nearll (address\$4 near3 (ip	12133	
		ipx (internet adj protocol))) near11		
		1 -		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
	۱	(tim\$4 timestamp\$4 time-stamp\$4))		0000/00/00
-	10	((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4)) and ((track\$4	EPO; JPO;	17:20
		monitor\$4) near11 (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip		
		<pre>ipx (internet adj protocol))) near11</pre>		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) and		
		((tim\$4 timestamp\$4 time-stamp\$4) near11		
		(sync\$4 synchron\$7)) not (((web internet		
		wan www) near5 (server page site prox\$4)		
		same (track\$4 monitor\$4) same (user		
		client member subscriber computer))) and		
		((database table list\$4) same (address\$4		
		1 , ,	ļ	
		near3 (ip ipx (internet adj protocol)))		
		same (user client member subscriber		
		computer)) and ((database table list\$4)		
		near11 (tim\$4 timestamp\$4 time-stamp\$4))		
		and ((tim\$4 timestamp\$4 time-stamp\$4)		
		same (sync\$4 synchron\$7) same (server		
		global internet web)))		
-	114	((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4)) and ((track\$4	EPO; JPO;	09:15
		monitor\$4) near11 (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM TDB	
		table list\$4) near11 (address\$4 near3 (ip	<u>-</u>	
		ipx (internet adj protocol))) near11		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((((web internet wan www) near5 (server		
		1 , , , ,		
		page site prox\$4) same (track\$4		
		monitor\$4) same (user client member		
		subscriber computer))) and ((database		
		table list\$4) same (address\$4 near3 (ip		
		<pre>ipx (internet adj protocol))) same (user</pre>		
		client member subscriber computer)) and		
		((database table list\$4) near11 (tim\$4		
		timestamp\$4 time-stamp\$4)) and ((tim\$4		
		timestamp\$4 time-stamp\$4) same (sync\$4		
		synchron\$7) same (server global internet		
	1	web)))	1	

-	42	((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4)) and ((track\$4	EPO; JPO;	17:55
]	monitor\$4) nearl1 (user client member	DERWENT;	
		<pre>subscriber computer)) and ((database) near11 (address\$4 near3 (ip ipx (internet</pre>	IBM_TDB	
		adj protocol))) nearll (user client		
		member subscriber computer)) and		•
		((database field) nearl1 (tim\$4		
		timestamp\$4 time-stamp\$4)) not ((((web		·
		internet wan www) near5 (server page site		
		prox\$4) same (track\$4 monitor\$4) same		
		(user client member subscriber		
		computer))) and ((database table list\$4)		
		same (address\$4 near3 (ip ipx (internet adj protocol))) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) nearl1 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((tim\$4 timestamp\$4		
		time-stamp\$4) same (sync\$4 synchron\$7)		
		<pre>same (server global internet web)))</pre>		
-	109	((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4)) and ((database table	EPO; JPO;	12:53
		list\$4) near11 (address\$4 near3 (ip ipx	DERWENT;	
		(internet adj protocol))) nearl1 (user client member subscriber computer)) and	IBM_TDB	4
	Į.	((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((track\$4 monitor\$4) near11 (user client		
	1	member subscriber computer))		
-	34	((web internet wan www) nearl1 (server	USPAT;	2003/08/13
		page site prox\$4)) and (server near11	EPO; JPO;	12:52
		(database table list\$4) near11 (address\$4	DERWENT;	
		near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber	IBM_TDB	
		computer)) and ((database table list\$4		
		field) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) not ((track\$4 monitor\$4)		
		near11 (user client member subscriber		
		computer))		
-	79		USPAT;	2003/08/13
		page site prox\$4)) and ((database table	EPO; JPO;	12:57
		list\$4) near11 (address\$4 near3 (ip ipx	DERWENT;	
		(internet adj protocol))) nearl1 (user client member subscriber computer)) and	IBM_TDB	
		((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
1		((track\$4 monitor\$4) near11 (user client		
1		member subscriber computer))) not (((web		
		internet wan www) nearl1 (server page		
1		site prox\$4)) and (server near11 (address\$4)		
		(database table list\$4) near11 (address\$4		
1		near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber		
1		computer)) and ((database table list\$4		
		field) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) not ((track\$4 monitor\$4)		
		near11 (user client member subscriber		
		computer)))		0000/00/00
-	78	((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4)) and ((database table	EPO; JPO;	12:55
		list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user	DERWENT;	
		client member subscriber computer)) and		
		((database table list\$4) near11 server)		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((track\$4 monitor\$4) near11 (user client		
L	<u></u>	member subscriber computer))	<u> </u>	<u> </u>

-	48	(((web internet wan www) near5 (server	USPAT;	2003/08/13
;		page site prox\$4)) and ((database table	EPO; JPO;	12:57
		list\$4) near11 (address\$4 near3 (ip ipx	DERWENT;	
		(internet adj protocol))) nearl1 (user	IBM_TDB	
		client member subscriber computer)) and		
		((database table list\$4) near11 server)		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((track\$4 monitor\$4) near11 (user client		
		member subscriber computer))) not (((web		
		internet wan www) near11 (server page		
		site prox\$4)) and (server near11		
		<pre>(database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol)))</pre>		
1		nearl1 (user client member subscriber		
		computer)) and ((database table list\$4		
		field) nearl1 (tim\$4 timestamp\$4		
		time-stamp\$4)) not ((track\$4 monitor\$4)		
		near11 (user client member subscriber		
		computer)))		
_	26	((server page site prox\$4) same (mib	USPAT;	2003/08/13
		(manag\$7 adj information adj base)) same	EPO; JPO;	14:24
1		(user client member subscriber computer))	DERWENT;	
		and ((database table list\$4) same	IBM TDB	
1		(address\$4 near3 (ip ipx (internet adj	<u>-</u>	
1		protocol))) same (user client member		
ŀ		subscriber computer)) and ((database		
		table list\$4) same tim\$4)		
_	553	(((web internet wan www) near5 (server	USPAT;	2003/08/13
1		page site prox\$4) same (track\$4	EPO; JPO;	14:40
		monitor\$4) same (user client member	DERWENT;	1
	1	subscriber computer)) same (activ\$7	IBM_TDB	
		browsing))	-	
-	310	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:39
		monitor\$4) same ((user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM_TDB	
		browsing)))		
-	161	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same ((track\$4	EPO; JPO;	15:31
	i	monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM_TDB	
		browsing)))	HCDATT-	2002/00/12
_	58	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT; EPO; JPO;	2003/08/13
		page site prox\$4) same ((track\$4		12:21
1		monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7 browsing)))) and ((compar\$6 match\$4)	IBM_TDB	
		near7 (user address\$4 client member		
		subscriber computer))		
-	11	((((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same ((track\$4	EPO; JPO;	15:37
		monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM TDB	
		browsing)))) and ((compar\$6 match\$4)	_	
		near7 address\$4)		
-	75	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:22
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
	[table list\$4) same (ip ipx (internet adj		
		protocol)) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		
		(sync\$4 synchron\$7) same (server global		
		internet web))		

_	55	((((web internet wan www) near5 (server	USPAT	2003/08/13
		page site prox\$4) same (track\$4		17:26
		monitor\$4) same (user client member		
		<pre>subscriber computer))) and ((database table list\$4) same (ip ipx (internet adj</pre>		
		protocol)) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		
		(sync\$4 synchron\$7) same (server global		
		internet web))) and ((match\$4 compar\$7)		
		nearl1 (user client member subscriber		
		computer address\$4))		
l –	26		USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:47
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM TDB	
		table list\$4) near11 (address\$4 ip ipx	_	
		(internet adj protocol)) near11 (user		
		client member subscriber computer)) and		
		((database table list\$4) near11 tim\$4)		
		and (tim\$4 near11 (sync\$4 synchron\$7)		
		nearl1 (server global internet web))		2002/00/22
-	11	((web internet wan www) nearl1 (track\$4	USPAT;	2003/08/13
		monitor\$4) near11 (user client member	EPO; JPO;	17:45
		subscriber computer) near6 (activ\$7	DERWENT;	
		browsing)) and ((compar\$6 match\$4) near7 (user client subscriber member profil\$4	IBM_TDB	
		address\$4)) and (tim\$4 same (sync\$4		
		synchron\$7) same (server global internet		
		web))		
_	1142	(tim\$4 same (sync\$4 synchron\$7) same	USPAT;	2003/08/13
	****	(server global internet web)) and	EPO; JPO;	17:59
		((compar\$6 match\$4) near7 (user field	DERWENT;	
		client subscriber member profil\$4	IBM TDB	1
	[address\$4))		
-	16	((((web internet wan www) near11 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:59
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (address\$4 near3 (ip		
		ipx (internet adj protocol))) same (user	<u> </u>	
i	İ	client member subscriber computer)) and		
		((database table list\$4) same tim\$4)) and		
		((tim\$4 same (sync\$4 synchron\$7) same	•	
		(server global internet web)) and		
		((compar\$6 match\$4) near7 (user field client subscriber member profil\$4		
		address\$4)))		
_	227	(((web internet wan www) nearl1 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	10:27
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM TDB	
		table list\$4) same (address\$4 near3 (ip	_	
		ipx (internet adj protocol))) same (user	!	
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)		
-	4568	((match\$4 compar\$6) same (database table	USPAT;	2003/08/14
		list) same (user client member	EPO; JPO;	09:07
		subscriber)) and ((add addition adding	DERWENT;	
		added) same (new distinct) same (user	IBM_TDB	
		client member subscriber)) and (tim\$4		
1_	813	timestamp\$4 time-stamp\$4) ((match\$4 find\$4 compar\$6) near11	USPAT;	2003/08/14
-	013	((match34 find34 compar36) near11 (database table list) near11 (user client	EPO; JPO;	09:07
1		member subscriber)) and ((add addition	DERWENT;	05.07
		adding added) near11 (new distinct)	IBM_TDB	
		nearl1 (user client member subscriber))		
		and (tim\$4 timestamp\$4 time-stamp\$4)		
<u> </u>	1	, ,	!	L

-	42	((((web internet wan www) nearl1 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	09:04
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (address\$4 near3 (ip	_	
		<pre>ipx (internet adj protocol))) same (user</pre>		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)) and		
		(((match\$4 compar\$6) same (database table		
<u> </u>		list) same (user client member		
		subscriber)) and ((add addition adding		
		added) same (new distinct) same (user		
		client member subscriber)) and (tim\$4		
		timestamp\$4 time-stamp\$4))		
-	13	((((web internet wan www) nearl1 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	10:31
		monitor\$4) same (user client member	DERWENT;	
1		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (address\$4 near3 (ip	_	
		<pre>ipx (internet adj protocol))) same (user</pre>		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)) and		
		(((match\$4 find\$4 compar\$6) near11		
		(database table list) nearl1 (user client		l
		member subscriber)) and ((add addition		
		adding added) nearl1 (new distinct)		1
		nearl1 (user client member subscriber))		
		and (tim\$4 timestamp\$4 time-stamp\$4))		
_	106		USPAT;	2003/08/14
	100	nearl1 (user client member subscriber))	EPO; JPO;	09:29
				09.29
		and ((add addition adding added) nearl1	DERWENT;	
		(new\$2 distinct\$4) near11 (user client	IBM_TDB	
		member subscriber)) and ((match\$4		
		compar\$6) near11 (tim\$4 timestamp\$4		
	- <u>-</u>	time-stamp\$4))		0000 (00 (5 5
-	15	((match\$4 compar\$6) near11 database	USPAT;	2003/08/14
		nearl1 (user client member subscriber))	EPO; JPO;	09:21
		and ((add addition adding added) near11	DERWENT;	
		(new\$2 distinct\$4) near11 (user client	IBM_TDB	
		member subscriber)) and ((match\$4		
		compar\$6) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((sync\$4 synchroniz\$6		
		glob1\$4) near6 (clock tim\$4))		
-	3	((match\$4 compar\$6) near11 database	USPAT;	2003/08/14
	-	nearl1 (user client member subscriber))	EPO; JPO;	09:47
		and ((add addition adding added) near11	DERWENT;	
		(new\$2 distinct\$4) near11 (user client	IBM_TDB	
		member subscriber)) and ((match\$4		
		compar\$6) near11 ((tim\$4 adj stamp\$5)		1
		timestamp\$4 time-stamp\$4))		
	37		USPAT;	2003/08/14
_	31			10:31
		(user client member subscriber))) and	EPO; JPO;	10:31
		((add addition adding added) nearl1 (user	DERWENT;	
		client member subscriber)) and ((match\$4	IBM_TDB	
		compar\$6) near11 ((tim\$4 adj stamp\$5)		
		timestamp\$4 time-stamp\$4))		
-	244	((track\$4 monitor\$4) near8 (user client	USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:47
		((database table list\$4) near11	DERWENT;	
1		((• • • • • • • • • • • • • • • • •	,	
		(address\$4 near3 (ip ipx (internet adj	IBM TDB	
		1 , ,		

R
7.

-	44	(((track\$4 monitor\$4) near8 (user client	USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:48
		((database table list\$4) near11	DERWENT;	İ
		(address\$4 near3 (ip ipx (internet adj	IBM_TDB	
		<pre>protocol)))) and ((database table list\$4)</pre>		
		near7 (tim\$4 timestamp\$4))) and ((match\$4		
		compar\$6) near11 (address\$4 user client		
		member subscriber)) and ((add addition		
		adding added new\$3) near11 (address\$4	·	
		user client member subscriber)) and		
		((match\$4 compar\$6) near9 (tim\$4		
		timestamp\$4 time-stamp\$4))		
-	4	((((track\$4 monitor\$4) near8 (user client	USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:35
		((database table list\$4) near11	DERWENT;	
		(address\$4 near3 (ip ipx (internet adj	IBM TDB	
		<pre>protocol)))) and ((database table list\$4)</pre>	_	
		near7 (tim\$4 timestamp\$4))) and ((match\$4		
]		compar\$6) near11 (address\$4 user client		
		member subscriber)) and ((add addition		
		adding added new\$3) near11 (address\$4		
		user client member subscriber)) and		
		((match\$4 compar\$6) near9 (tim\$4		1
		timestamp\$4 time-stamp\$4))) and		
		709/224.ccls.		
<u>-</u>	37		USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:49
		((database table list\$4) near11	DERWENT;	
		(address\$4 near3 (ip ipx (internet adj	IBM TDB	
		protocol)))) and ((database table list\$4)		
		near7 (tim\$4 timestamp\$4))) and		
		709/224.ccls.		
_	89		USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:48
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		ipx (internet adj protocol)))) and		
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))		
_	17	1	USPAT;	2003/08/14
	'	monitor\$4) near8 (user client member	EPO; JPO;	10:49
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		ipx (internet adj protocol)))) and		
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))) and ((match\$4 compar\$6)		
		near11 (address\$4 user client member		
1		subscriber)) and ((add addition adding		
		added new\$3) near11 (address\$4 user		·
		client member subscriber)) and ((match\$4		
		compar\$6) near9 (tim\$4 timestamp\$4		
		time-stamp\$4))		
_	50	1	USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:59
		subscriber computer)) and ((database	DERWENT;	10.00
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		ipx (internet adj protocol)))) and	1 1011 - 1100	
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))) and 709/\$.ccls.		
	l	timestampyajjj and 703/3.CCIS.	<u> </u>	<u> </u>